

Mr 81

SIGN HOLDERS

Changeable Plaque System



Sizes of Changeable Plaques with molded plastic frames.


Wall Modules

CPS 101



2-3/16" × 9-1/8"
Standard message size: 1/2".
Maximum characters per line: 20.

CPS 102



2-3/16" × 9-1/8"
Shown with 1" and 1/2" message.

CPS 103



2-3/16" × 9-1/8"
Messages: 3/4"

CPS 104



4-1/2" × 4-1/2"
Standard message size: 1/2"
Maximum characters per line: 10

CPS 105




4-1/2" × 4-1/2"

Ceiling Modules

CPS 108 6" × 48"


Desk Bars

CPS 101DB



2-3/16" × 9-1/8" × 1-1/2"
Standard message size: 1/2"
Maximum characters per line: 20

CPS 102DB



2-3/16" × 9 1/8" × 1 1/2"

CPS 103DB



2-3/16" × 9 1/8" × 1 1/2"
Messages: 3/4"

Wall Directionals



CPS 106/Arrow Module 4-1/2" × 18-3/8". Standard arrow—3"




CPS 107/Message Module 2-3/16" × 18-3/8"


Standard message size: 1"
Maximum characters per line: 21.




CPS 109 9-3/8" × 48"



CPS 110 13" × 48"



CPS 111 13" × 24"




philadelphia enameling works. inc.


13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS

Sky•Hook™/Desk Bars



Sky•Hook™ hinges open as shown for ease of installation – just swing closed and snap on grid support bars of suspended ceiling. Weight on hook adds even more grip to bar.



Take Sky•Hook™ to your next hanging!



After you've decided where to hang it, the last thing you need to worry about is how. That's why we came up with a little something that can handle all of your hang-ups. It's called Sky•Hook™.

Sky•Hook is made of clear Lexan®, so the attention getter is what's hanging and not the hook. And it's versatile

enough to be used on flat* or suspended ceilings. Dependably made, Sky•Hook's high tensile strength will hold up to 100 lbs., yet takes only seconds to install. But Sky•Hook's best feature is economy.

**Flat ceiling adapter and screw included with each hook.*

Desk Bars/222-223 Series



222 Desk Bar.

2-1/2 in. x 9-7/8 in. x 1-1/4 in. plastic unit with one 2-1/16 in. x 9-1/2 in. insert.

223 Desk Bar.

2 in. x 9-7/8 in. x 1-1/4 in. with two inserts – top 3/4 in. x 9-1/2 in., bottom 1-1/4 in. x 9-1/2 in. Inserts can be permanent or removable.

Standard Colors:

Matte Black, Matte Brown. Other colors available upon request.

philadelphia enameling works. &

13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS

Changeable Plaque System



Sizes of Changeable Plaques with molded plastic frames.


Wall Modules

CPS 101




2-3/16" x 9-1/8"
Standard message size: 1/2".
Maximum characters per line: 20.

CPS 102



2-3/16" x 9-1/8"
Shown with 1" and 1/2" message.

CPS 103



2-3/16" x 9-1/8"
Messages: 3/4"

CPS 104



4-1/2" x 4-1/2"
Standard message size: 1/2"
Maximum characters per line: 10

CPS 105



4-1/2" x 4-1/2"


Ceiling Modules

CPS 108 6" x 48"




Desk Bars

CPS 101DB




2-3/16" x 9-1/8" x 1-1/2"
Standard message size: 1/2"
Maximum characters per line: 20

CPS 102DB



2-3/16" x 9 1/8" x 1 1/2"

CPS 103DB




2-3/16" x 9 1/8" x 1 1/2"
Messages: 3/4"

Wall Directionals




CPS 106/Arrow Module 4-1/2" x 18-3/8" • Standard arrow—3"




CPS 107/Message Module 2-3/16" x 18-3/8"

Standard message size: 1"
Maximum characters per line: 21.


CPS 109 9-3/8" x 48"



CPS 110 13" x 48"



CPS 111 13" x 24"




philadelphia enameling works. inc.


13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS

Sky•Hook™/Desk Bars



Sky•Hook™ hinges open as shown for ease of installation – just swing closed and snap on grid support bars of suspended ceiling. Weight on hook adds even more grip to bar.



Take Sky•Hook™ to your next hanging!


After you've decided where to hang it, the last thing you need to worry about is how. That's why we came up with a little something that can handle all of your hang-ups. It's called Sky•Hook™.

Sky•Hook is made of clear Lexan®, so the attention getter is what's hanging and not the hook. And it's versatile

enough to be used on flat* or suspended ceilings. Dependably made, Sky•Hook's high tensile strength will hold up to 100 lbs., yet takes only seconds to install. But Sky•Hook's best feature is economy.


**Flat ceiling adapter and screw included with each hook.*

Desk Bars/222-223 Series



222 Desk Bar.

2-1/2 in. x 9-7/8 in. x 1-1/4 in. plastic unit with one 2-1/16 in. x 9-1/2 in. insert.



223 Desk Bar.

2 in. x 9-7/8 in. x 1-1/4 in. with two inserts – top 3/4 in. x 9-1/2 in., bottom 1-1/4 in. x 9-1/2 in. Inserts can be permanent or removable.

Standard Colors:

Matte Black, Matte Brown. Other colors available upon request.

philadelphia enameling works. 







13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS

Wall Units, Framed



WALL UNITS, FRAMED

1-5/8" 						
3204						3213C
1-5/8" 						
3209	3211	3213	3215	3218	3221	
3-3/8" 						
3209 DP	3211 DP	3213 DP	3215 DP	3218 DP	3221 DP	
3-3/8" 						
3209 DH	3211 DH	3213 DH	3215 DH	3218 DH	3221 DH	
5-1/16" 						
3209 TP	3211 TP	3213 TP	3215 TP	3218 TP	3221 TP	
5-1/16" 						
3209 TH	3211 TH	3213 TH	3215 TH	3218 TH	3221 TH	
9" 						
3209 SQ	3211 SQ	3213 SQ	3215 SQ	3203 SQ	3204 SQ	
						
				3205 SQ	3206 SQ	

3200 Series (Aluminum Frames)

Last number of each style shown indicates the length.

Frames are available in silver, black and bronze duranodic finish. Square or round corners available.



330-390 Series/Molded Plastic Frames

The 330 Series frames are molded plastic, one piece construction, with square corners with 1/8 in. wall thicknesses. A 1/16 in. reveal between the insert and the frame is standard. Permanent and removable mounting attachments are standard for inserts in all frames. The standard frame color is either matte black or matte brown. Other colors are available on special order. For 335 there are two 1-1/2 in. by 8 in. inserts, the lower insert is removable.

The 390 Series molded plastic frames are exactly the same as the 330 Series, except an outside depth of 3/8 in. is consistent throughout the entire range of sizes.

philadelphia enameling works. 







13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS








Frames PLASTIC



330 Series—Standard Sizes—390 Series



*For 335 there are two 1-1/2 in. x 8 in. inserts; the lower portion is removable.



Sizes indicated are insert sizes.



philadelphia enameling works.
















13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS

Wall Units, Framed



WALL UNITS, FRAMED

1-5/8"  3204		 3213C			
1-5/8"  3209	 3211	 3213	 3215	 3218	 3221
3-3/8"  3209 DP	 3211 DP	 3213 DP	 3215 DP	 3218 DP	 3221 DP
3-3/8"  3209 DH	 3211 DH	 3213 DH	 3215 DH	 3218 DH	 3221 DH
5-1/16"  3209 TP	 3211 TP	 3213 TP	 3215 TP	 3218 TP	 3221 TP
5-1/16"  3209 TH	 3211 TH	 3213 TH	 3215 TH	 3218 TH	 3221 TH
9"  3209 SQ	 3211 SQ	 3213 SQ	 3215 SQ	 3203 SQ	 3204 SQ
				 3205 SQ	 3206 SQ

Frames are available in silver, black and bronze duranodic finish. Square or round corners available.



330-390 Series/Molded Plastic Frames

The 330 Series frames are molded plastic, one piece construction, with square corners with 1/8 in. wall thicknesses. A 1/16 in. reveal between the insert and the frame is standard. Permanent and removable mounting attachments are standard for inserts in all frames. The standard frame color is either matte black or matte brown. Other colors are available on special order. For 335 there are two 1-1/2 in. by 8 in. inserts, the lower insert is removable.


The 390 Series molded plastic frames are exactly the same as the 330 Series, except an outside depth of 3/8 in. is consistent throughout the entire range of sizes.

philadelphia enameling works. 


13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS

Projection Brackets



370
T-bracket
ceiling
mount



250 T-bracket
wall projecting
mount

Permanent Insert

Removable Insert

Fixtures/Brackets

250-270 and 350-370 Series

A matte black finish is a standard for T-brackets. Duranodic medium bronze and satin clear anodized finishes are available.

Product Code Nos.

Wall Projecting Mount
single-sided - 253 and 273
double-sided - 254 and 274
single-sided w/frame - 353 and 373
double-sided w/frame - 354 and 374


Ceiling Mount
single-sided - 255 and 275
double-sided - 256 and 276
single-sided w/frame - 355 and 375
double-sided w/frame - 356 and 376

philadelphia enameling works. 

13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS

Changeable Plaque System



1. Size 4-1/2 in. x 4-1/2 in. Color brown. Letter size and color 1 in. & 1/2 in. - white.
2. Size 13 in. x 24 in. Color brown. Letter size and color 2 in. C/LC - white.
3. Size 2-3/16 in. x 18-3/8 in. & 4-1/2 in. x 18-3/8 in. Letter size and color 1 in. C/LC - white copy and 3 in. - white arrow. Showing directional arrow in upper panel.
4. Size 6 in. x 48 in. Color brown. Letter size and color 3 in. - C/LC white. Ceiling mounted module with upper and lower case applied letters and directional arrow.




The Changeable Plaque System is a system of molded plastic frames and inserts. The wall plaques come with either the easy-to-change magnetic insert feature, or with inserts that are permanently mounted.

Two basic wall-module sizes offer five insert variations, so that messages which change frequently may be easily replaced. Each insert has a 1/16 in. reveal, and copy is applied to the insert surface. Desk blocks are also available.

Fixed panel ceiling modules are consistent with the general appearance of the system and are available in several sizes and message capabilities.

Changeable Plaque System modules are available in white, black, architectural brown and putty gray. The applied copy is die-cut vinyl letters. The standard message color is white for all colors except for white plaques which use black letters.



Module Details: Easy to change, but permanent-looking, the Changeable Plaque System wall module frame remains permanently mounted to the wall, while the inserts can be moved or changed as often as necessary. If permanent mounting of the inserts is preferred, two-sided tape can be substituted for the standard magnetic tape.


Ceiling modules use permanently mounted faces with rigid vinyl extrusions to simulate the appearance of the wall plaques. Ceiling modules come with 2 rod hangers and white sleeves to allow mounting 12 in. or less from the ceiling.

philadelphia enameling works, inc.


13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS

Projection Brackets



370
T-bracket
ceiling
mount



Fixtures/Brackets

250-270 and 350-370 Series

A matte black finish is a standard for T-brackets. Duranodic medium bronze and satin clear anodized finishes are available.

Product Code Nos.


Wall Projecting Mount
single-sided – 253 and 273
double-sided – 254 and 274
single-sided w/frame – 353 and 373
double-sided w/frame – 354 and 374

Ceiling Mount
single-sided – 255 and 275
double-sided – 256 and 276
single-sided w/frame – 355 and 375
double-sided w/frame – 356 and 376


philadelphia enameling works. 

13th & RACE STREETS
PHILADELPHIA, PENNA. 19107


SIGN HOLDERS




35, 42, 22




61




71, 33




23




31, 21, 30




15, 50, 97, 17, 96




55



40



85, 25, 54, 70, 19, 14, 48, 11, 98, 16



34

All holders are extruded aluminum, polished and anodized bright gold or bright silver. Satin gold, satin silver, matte black and bronze finishes are also available by special order.

Styles and sizes are indicated by part number and length. Please specify part number, length and color when ordering.

PART No.	IN INCHES		
	LENGTH	INSERT A	INSERT B
35	6; 8; 10; 12	1-1/4	1/16
42	6; 8; 10; 12	1-1/4	1/8
22	6; 8; 10; 12; 14	2-1/2	1/8
71	6; 8; 10	1-1/4	1/16
33	8; 10; 12	2	1/8
61	8; 10	1	1-1/4
23	9; 10; 12	2	1-1/2
31	8; 9; 10	1-1/2	1/16
21	8; 9; 10	1-5/8	1/16
30	8; 10	2	1/16
15	6; 8; 10	3/4	1/16
50	6; 8; 10	15/16	1/16
97	8; 10; 12	1-7/16	1/16
17	8; 10; 12	1-3/32	1/8
96	8; 10; 12	1-7/16	1/8
55	8; 10; 12; 15	2-1/2	1/8
40	3-3/4; 5; 6; 8; 10	1/8	1/4
34	8; 10	2	1/16
85	4; 6; 8; 10	3/4	1/16
25	6; 7; 8; 10	1	1/16
54	6; 8; 10	1-1/4	1/16
70	7-1/2; 8; 10	1-1/2	1/16
19	7-1/2; 8; 10	1-1/2	1/8
14	7-1/2; 8; 10	1-5/8	1/16
48	8; 10; 12	2	1/16
11	8; 10; 12	2	1/8
98	8; 10; 12	2-1/2	1/8
16	10; 12	3-1/4	1/8


philadelphia enameling works. 

13th & RACE STREETS
PHILADELPHIA, PENNA. 19107

SIGN HOLDERS




Brackets for
Corridor Signs



All holders are extruded aluminum, polished and anodized bright gold or bright silver. Satin gold, satin silver, matte black and bronze finishes are also available by special order.

Styles and sizes are indicated by part number and length. Please specify part number, length and color when ordering.



PART No.	IN INCHES		
	LENGTH	INSERT A	INSERT B
38	2; 3; 4; 5	2-1/2	1/8
45	8; 10; 12	3/4	1-1/2
63	8; 10; 12	1-1/8	2-3/8
53	8; 10; 12	1	1-1/4
82	8; 10; 12	1	1
91	8; 10; 12	5/8	5/8
75	61	1/16	-
76	61	1/16	-
83	61	1/8	-
84	61	1/8	-
103	8; 10; 12	1	1/16
104	8; 10; 12	1	1/16
86	4; 6; 8; 10; 12	1/2	1/16
100	4; 6; 8; 10; 12	5/8	1/16
44	4; 6; 8; 10; 12	3/4	1/16
28	4; 6; 8; 10; 12	1	1/16
47	4; 6; 8; 10; 12	1-1/4	1/16
29	4; 6; 8; 10; 12	1-1/2	1/16
95	4; 6; 8; 10; 12	1-1/2	1/8
46	4; 6; 8; 10; 12	1-5/8	1/16
87	4; 6; 8; 10; 12	1-3/4	1/16
88	4; 6; 8; 10; 12	1-3/4	1/8
36	4; 6; 8; 10; 12; 14; 16; 18; 20	2	1/16
94	4; 6; 8; 10; 12; 14; 16; 18; 20	2	1/8
89	4; 6; 8; 10; 12; 14; 16; 18; 20	2-1/2	1/16
90	4; 6; 8; 10; 12; 14; 16; 18; 20	2-1/2	1/8
37	4; 6; 8; 10; 12; 14; 16; 18; 20	3	1/16
52	4; 6; 8; 10; 12; 14; 16; 18; 20	3	1/8
101	4; 6; 8; 10; 12; 14; 16; 18; 20	3-1/2	1/16
102	4; 6; 8; 10; 12; 14; 16; 18; 20	3-1/2	1/8
49	4; 6; 8; 10; 12; 14; 16; 18; 20	4	1/16
51	4; 6; 8; 10; 12; 14; 16; 18; 20	4	1/8
27J	61		

philadelphia enameling works. 

13th & RACE STREETS
PHILADELPHIA, PENNA. 19107